



Emerging Therapies in MS

SPONSORED BY:







Kathy Costello, CRNP, MSCN



Vice President, Programs
Can Do MS

Kalina Sanders, MD



Neurologist Baptist Health



Panel Discussion Topics

Bruton tyrosine kinase inhibitors (BTKIs)


Progressive MS Treatments

Stem Cell Treatments

Remyelination

Repurposed Medications

Aging with MS & DMTs




HAEMATOPOIETIC STEM CELL TRANSPLANT

Freeze the blood stem cells in the laboratory until they are required.



Collect the blood stem cells from the bloodstream



Administer chemotherapy

the immune system

to remove or partially remove





Administer pre-treatment to release blood stem cells from bone marrow into the bloodstream



Provide supportive medical treatment for at least 4 weeks as the immune system rebuilds





Resources

• Hemmer, B., Archelos, J. & Hartung, HP. New concepts in the immunopathogenesis of multiple sclerosis. *Nat Rev Neurosci* **3**, 291–301 (2002). https://doi.org/10.1038/nrn784







How To Stay Steady When Sensory Symptoms Throw You Off Balance


SPONSORED BY:
















Twitter

@CanDoMS

Facebook @CanDoMultipleSclerosis

Instagram
@CanDoMultipleSclerosis



The preceding program is copyrighted by Can Do Multiple Sclerosis. It is provided for your personal educational and referential use only. Any repurposing or dissemination of its content requires the consent by Can Do Multiple Sclerosis.

© Can Do Multiple Sclerosis

